

# **Safety Data Sheet**

## **DOMESTOS REGULAR**

**Revision:** 2016-03-03 **Version:** 01.0

## SECTION 1: Identification of the substance/mixture and supplier

### 1.1 Product identifier

Product name: DOMESTOS REGULAR

Domestos is a registered trade mark and is used under licence of Unilever

### 1.2 Recommended use and restrictions on use

Identified uses:

Disinfectant hospital grade

Restrictions of use:

Uses other than those identified are not recommended

### 1.3 Details of the supplier

Diversey Australia Pty. Limited

29 Chifley St, Smithfield, NSW, 2164, Australia

Telephone: 1800 647 779 (toll free)

Fax: (02) 9725 5767

Email: aucustserv@sealedair.com Website: http://www.sealedair.com/

### 1.4 Emergency telephone number

Call 1800 033 111 (24hrs)

## **SECTION 2: Hazards identification**

## 2.1 Classification of the substance or mixture

AUH031

Skin corrosion, Category 1B Corrosive to metals, Category 1

## 2.2 Label elements



Signal word: Danger

### Hazard statements:

AUH031 - Contact with acids liberates toxic gas.

H314 - Causes severe skin burns and eye damage.

H290 - May be corrosive to metals.

AUH206 - Warning! Do not use together with other products. May release dangerous gases (chlorine).

## Prevention statement(s):

P101 - If medical advice is needed, have product container or label at hand.

P102 - Keep out of reach of children.

P233 - Keep container tightly closed.

P234 - Keep only in original container.

P260 - Do not breathe vapours.

P264 - Wash face, hands and any exposed skin thoroughly after handling.

P280 - Wear protective gloves, protective clothing and eye or face protection.

## Response statement(s):

P301 + P330 + P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.

P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 - Immediately call a POISON CENTRE, doctor or physician.



P321 - Specific treatment (see supplemental first aid instructions on this label).

P363 - Wash contaminated clothing before reuse. P390 - Absorb spillage to prevent material damage.

## Storage statement(s):

P405 - Store locked up.

P406 - Store in corrosive-resistant container with a resistant inner liner.

#### Disposal statement(s):

P501 - Dispose of unused content as chemical waste.

#### 2.3 Other hazards

No other hazards known.

## 2.4 Classification diluted product:

Recommended maximum concentration (%): 2.4

Not classified

AUH206 - Warning! Do not use together with other products. May release dangerous gases (chlorine).

P102 - Keep out of reach of children.

## SECTION 3: Composition/information on ingredients

### 3.1 Substances / Mixtures

Ingredient(s)	CAS number	EC number	Classification	Weight percent
sodium hypochlorite	7681-52-9	231-668-3	AUH031	3-10
			Skin Corr. 1B (H314)	
			STOT SE 3 (H335)	
			Met. Corr. 1 (H290)	
Lauryl dimethyl amine oxide	1643-20-5	216-700-6	Acute Tox. 4 (H302)	1-3
			Skin Irrit. 2 (H315)	
			Eye Dam. 1 (H318)	
sodium hydroxide	1310-73-2	215-185-5	Skin Corr. 1A (H314)	1-3
			Met. Corr. 1 (H290)	

Non-hazardous ingredients are the remainder and add up to 100%.

Ingestion:

Workplace exposure limit(s), if available, are listed in subsection 8.1.

For the full text of the H and AUH phrases mentioned in this Section, see Section 16.

## **SECTION 4: First aid measures**

4.1 Description of first aid measures

General Information: If unconscious place in recovery position and seek medical advice. Provide fresh air. If breathing is

irregular or stopped, administer artificial respiration. No mouth-to-mouth or mouth-to-nose

resuscitation. Use Ambu bag or ventilator.

**Inhalation:** Remove person to fresh air and keep comfortable for breathing. Get medical attention or advice if

you feel unwell.

Skin contact: Take off immediately all contaminated clothing and wash it before re-use. Immediately call a

POISON CENTRE, doctor or physician. Hold eyelids apart and flush eyes with plenty of lukewarm water for at least 15 minutes. Remove

Eye contact: Hold eyelids apart and flush eyes with plenty of lukewarm water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTRE,

doctor or physician.

Rinse mouth. Immediately drink 1 glass of water. Never give anything by mouth to an unconscious

person. Do NOT induce vomiting. Keep at rest. Immediately call a POISON CENTRE, doctor or

physician. **Self-protection of first aider:**Consider personal protective equipment as indicated in subsection 8.2.

First aid facilities: Shower and eyewash facilities should be considered in a workplace where necessary.

## 4.2 Most important symptoms and effects, both acute and delayed

**Inhalation:** May cause bronchospasm in chlorine sensitive individuals.

Skin contact: Causes severe burns.

**Eye contact:** Causes severe or permanent damage.

Ingestion: Ingestion will lead to a strong caustic effect on mouth and throat and to the danger of perforation of

oesophagus and stomach.

## 4.3 Indication of any immediate medical attention and special treatment needed

No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11.

Poison Information Center: Call 13 11 26 (Australia Wide).

<sup>\*</sup> Polymer.

## SECTION 5: Firefighting measures

#### 5.1 Extinguishing media

Carbon dioxide. Dry powder. Water spray jet. Fight larger fires with water spray jet or alcohol-resistant foam.

### 5.2 Special hazards arising from the substance or mixture

No special hazards known.

### 5.3 Advice for firefighters

As in any fire, wear self contained breathing apparatus and suitable protective clothing including gloves and eye/face protection.

#### 5.4 Hazchem code

2X

- 2 Fine water spray.
- X Liquid-tight chemical protective clothing and breathing apparatus. Contain.

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. Do not breathe dust or vapour. In case of an incident in a confined area wear suitable respiratory protection. Wear suitable protective clothing, gloves and eye/face protection.

### 6.2 Environmental precautions

Do not allow to enter drainage system, surface or ground water. Dilute with plenty of water.

### 6.3 Methods and material for containment and cleaning up

Absorb with liquid-binding material (sand, diatomite, universal binders, sawdust). Ensure adequate ventilation.

#### 6.4 Reference to other sections

For personal protective equipment see subsection 8.2. For disposal considerations see section 13.

## **SECTION 7: Handling and storage**

## 7.1 Precautions for safe handling

## Measures to prevent fire and explosions:

No special precautions required.

### Measures required to protect the environment:

For environmental exposure controls see subsection 8.2.

## Advices on general occupational hygiene:

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Keep out of reach of children. Do not mix with other products unless adviced by Sealed Air. Wash hands before breaks and at the end of workday. Wash face, hands and any exposed skin thoroughly after handling. Take off immediately all contaminated clothing. Wash contaminated clothing before reuse. Use personal protective equipment as required. Avoid contact with skin and eyes. Do not breathe vapours. Use only with adequate ventilation.

## 7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local and national regulations. Keep locked up and out of the reach of children. Keep only in original container. Store in a closed container.

For conditions to avoid see subsection 10.4. For incompatible materials see subsection 10.5.

### 7.3 Specific end use(s)

No specific advice for end use available.

## SECTION 8: Exposure controls/personal protection

## 8.1 Control parameters Workplace exposure limits

Air limit values, if available:			
Ingredient(s)	Long term value(s) (TWA)	Short term value(s) (STEL)	Peak value(s)
sodium hydroxide			2 mg/m <sup>3</sup>

Biological limit values, if available:

### 8.2 Exposure controls

The following information applies for the uses indicated in subsection 1.2 of the Safety Data Sheet.

If available, please refer to the product information sheet for application and handling instructions. Normal use conditions are assumed for this section.

Recommended safety measures for handling the undiluted product:

Covering activities such as filling and transfer of product to application equipment, flasks or buckets

Appropriate engineering controls: If the product is diluted by using specific dosing systems with no risk of splashes or direct skin

contact, the personal protection equipment as described in this section is not required.

Appropriate organisational controls: Avoid direct contact and/or splashes where possible. Train personnel.

Personal protective equipment

Eye / face protection:

Safety glasses or goggles (EN 166). The use of a full-face shield or other full-face protection is

strongly recommended when handling open containers or if splashes may occur.

Hand protection: Chemical-resistant protective gloves (EN 374).

Verify instructions regarding permeability and breakthrough time, as provided by the gloves

supplier.

Consider specific local use conditions, such as risk of splashes, cuts, contact time and temperature.

Suggested gloves for prolonged contact:

Material: butyl rubber Penetration time: >= 480 min Material thickness: >= 0.7 mm

Suggested gloves for protection against splashes:

Material: nitrile rubber Penetration time: >= 30 min Material thickness: >= 0.4 mm

In consultation with the supplier of protective gloves a different type providing similar protection may

be chosen.

Body protection: Wear chemical-resistant clothing and boots in case direct dermal exposure and/or splashes may

occur (EN 14605).

Respiratory protection: Respiratory protection is not normally required. However, inhalation of vapour, spray, gas or

aerosols should be avoided.

Environmental exposure controls: Should not reach sewage water or drainage ditch undiluted or unneutralised.

Recommended safety measures for handling the  $\underline{\textit{diluted}}$  product:

Recommended maximum concentration (%): 2.4

Appropriate engineering controls: No special requirements under normal use conditions.

Appropriate organisational controls: Avoid direct contact and/or splashes where possible. Train personnel.

Personal protective equipment

Eye / face protection:

Hand protection:

Safety glasses are not normally required. However, their use is recommended in those cases

where splashes may occur when handling the product. Rinse and dry hands after use. For prolonged contact protection for the skin may be necessary.

**Body protection:** No special requirements under normal use conditions.

Respiratory protection: No special requirements under normal use conditions.

**Environmental exposure controls:** No special requirements under normal use conditions.

## SECTION 9: Physical and chemical properties

## 9.1 Information on basic physical and chemical properties

Method / remark

Physical State: Liquid Appearance: Viscous liquid Colour: Clear, Pale Straw Odour: Slightly perfumed Odour threshold: Not applicable

**pH:** ≈ 13.2 (neat)

Melting point/freezing point (°C): Not determined

Initial boiling point and boiling range (°C): Not determined

Flash point (°C): Not applicable.
Sustained combustion: Not applicable.
Evaporation rate: Not determined
Flammability (solid, gas): Not determined

Upper/lower flammability limit (%): Not determined

Vapour pressure: Not determined Vapour density: Not determined Relative density: 1.084 g/cm³ (20 °C)

Solubility in / Miscibility with Water: Fully miscible Autoignition temperature: Not determined Decomposition temperature: Not applicable.

Viscosity: Not determined

**Explosive properties:** Not explosive. **Oxidising properties:** Not oxidising

9.2 Other information

Surface tension (N/m): Not determined

Corrosion to metals: Corrosive Weight of evidence

## **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

No reactivity hazards known under normal storage and use conditions.

## 10.2 Chemical stability

Stable under normal storage and use conditions.

## 10.3 Possibility of hazardous reactions

No hazardous reactions known under normal storage and use conditions.

### 10.4 Conditions to avoid

Keep from freezing.

## 10.5 Incompatible materials

Reacts with acids releasing toxic chlorine gas. Keep away from acids.

### 10.6 Hazardous decomposition products

Chlorine.

## **SECTION 11: Toxicological information**

## 11.1 Information on toxicological effects

Mixture data:.

## Relevant calculated ATE(s):

ATE - Oral (mg/kg): >5000

Substance data, where relevant and available, are listed below:.

## **Acute toxicity**

Acute oral toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)
sodium hypochlorite	LD 50	> 1100	Rat		90
Lauryl dimethyl amine oxide		No data available			
sodium hydroxide		No data available			

Acute dermal toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)
sodium hypochlorite	LD 50	> 20000	Rabbit	OECD 402 (EU B.3)	
Lauryl dimethyl amine oxide		No data available			
sodium hydroxide		No data available			

Acute inhalative toxicity

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
sodium hypochlorite	LC 50	> 10.5 (vapour)	Rat	OECD 403 (EU B.2)	1
Lauryl dimethyl amine oxide		No data available			
sodium hydroxide		No data available			

Irritation and corrosivity

Skin irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
sodium hypochlorite	Corrosive	Rabbit	OECD 404 (EU B.4)	
Lauryl dimethyl amine oxide	No data available			
sodium hydroxide	Corrosive	Rabbit	Method not given	

Eye irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
sodium hypochlorite	Severe damage	Rabbit	OECD 405 (EU B.5)	
Lauryl dimethyl amine oxide	No data available			
sodium hydroxide	Corrosive	Rabbit	Method not given	-

Respiratory tract irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
sodium hypochlorite	Irritating to			
	respiratory tract			
Lauryl dimethyl amine oxide	No data available			
sodium hydroxide	No data available			

**Sensitisation**Sensitisation by skin contact

Sensitisation by skin contact				
Ingredient(s)	Result	Species	Method	Exposure time (h)
sodium hypochlorite	Not sensitising	Guinea pig	OECD 406 (EU B.6) /	
·	-		Buehler test	
Lauryl dimethyl amine oxide	No data available			
sodium hydroxide	Not sensitising		Human repeated patch	
			test	

Sensitisation by inhalation

Ingredient(s)	Result	Species	Method	Exposure time
sodium hypochlorite	No data available			
Lauryl dimethyl amine oxide	No data available			
sodium hydroxide	No data available			

# CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction) Mutagenicity

widiagoriioity					
Ingi	redient(s)	Result (in-vitro)	Method	Result (in-vivo)	Method
			(in-vitro)		(in-vivo)
sodium	n hypochlorite	No evidence for mutagenicity	OECD 471 (EU	No evidence for mutagenicity, negative	OECD 474 (EU
			B.12/13)	test results	B.12)
Lauryl dime	ethyl amine oxide	No data available		No data available	
sodiu	m hydroxide	No evidence for mutagenicity, negative	DNA repair test	No evidence for mutagenicity, negative	OECD 474 (EU
		test results	on rat	test results	B.12) OECD
			hepatocytes		475 (EU B.11)
			OECD 473		

Carcinogenicity

Ingredient(s)	Effect
sodium hypochlorite	No evidence for carcinogenicity, negative test results
Lauryl dimethyl amine oxide	No data available
sodium hydroxide	No evidence for carcinogenicity, weight-of-evidence

Toxicity for reproduction

Ingredient(s)	Endpoint	Specific effect	Value (mg/kg bw/d)	Species	Method	Exposure time	Remarks and other effects reported
sodium hypochlorite	NOAEL	Developmental toxicity Impaired fertility	5 (CI)	Rat	OECD 414 (EU B.31), oral OECD 415 (EU B.34), oral		No evidence for reproductive toxicity
Lauryl dimethyl amine oxide			No data available				
sodium hydroxide			No data available				No evidence for developmental toxicity No evidence for reproductive toxicity

Repeated dose toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
sodium hypochlorite	NOAEL	50	Rat	OECD 408 (EU B.26)	90	
Lauryl dimethyl amine oxide		No data available				
sodium hydroxide		No data available				

Sub-chronic dermal toxicity

Ingredient(s)	Endpoint	Value	Species	Method	Exposure	Specific effects and organs
		(mg/kg bw/d)			time (days)	affected
sodium hypochlorite		No data				
		available				
Lauryl dimethyl amine oxide		No data				
		available				
sodium hydroxide		No data				
,		available				

Sub-chronic inhalation toxicity

Ingredient(s)	Endpoint	Value	Species	Method	Exposure	Specific effects and organs
		(mg/kg bw/d)			time (days)	affected
sodium hypochlorite		No data				
		available				
Lauryl dimethyl amine oxide		No data				
		available				
sodium hydroxide		No data				
		available				

Chronic toxicity

Ingredient(s)	Exposure route	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time	Specific effects and organs affected	Remark
sodium hypochlorite			No data available					
Lauryl dimethyl amine oxide			No data available					
sodium hydroxide			No data available					

STOT-single exposure

Ingredient(s)	Affected organ(s)
sodium hypochlorite	Not applicable
Lauryl dimethyl amine oxide	No data available
sodium hydroxide	No data available

STOT-repeated exposure

Ingredient(s)	Affected organ(s)
sodium hypochlorite	Not applicable
Lauryl dimethyl amine oxide	No data available
sodium hydroxide	No data available

## Aspiration hazard

Substances with an aspiration hazard (H304), if any, are listed in section 3. If relevant, see section 9 for dynamic viscosity and relative density of the product.

## Potential adverse health effects and symptoms

Effects and symptoms related to the product, if any, are listed in subsection 4.2.

## **SECTION 12: Ecological information**

## 12.1 Toxicity

No data is available on the mixture

Substance data, where relevant and available, are listed below:

## Aquatic short-term toxicity

Aquatic short-term toxicity - fish

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
sodium hypochlorite	LC 50	0.06	Oncorhynchus mykiss	Method not given	96
Lauryl dimethyl amine oxide		No data available			
sodium hydroxide	LC 50	35	Various species	Method not given	96

Aquatic short-term toxicity - crustacea

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
sodium hypochlorite	EC 50	0.035	Ceriodaphnia dubia	OECD 202	48
Lauryl dimethyl amine oxide		No data available			
sodium hydroxide	EC 50	40.4	Ceriodaphnia	Method not given	48

							sp.			
uatic short-term toxicity - algae										
Ingredient(s)			Endpoin	nt	Value (mg/l)		Species	Method		Exposur time (h)
sodium hypochlorite			NOEC	$\neg$	0.0021	1	Vot specifi	ed M	ethod not given	168
Lauryl dimethyl amine oxide	!				No data available					
sodium hydroxide	sodium hydroxide		EC 50		22	P	Photobacteriu m phosphoreum		ethod not given	0.25
uatic short-term toxicity - marine species										
Ingredient(s)			Endpoin	nt	Value (mg/l)		Species		Method	Exposur time (day
sodium hypochlorite			EC 50	Т	0.026	1	Crassostre virginica		ethod not given	2
Lauryl dimethyl amine oxide	!				No data available					
sodium hydroxide					No data available					-
pact on sewage plants - toxicity to bacteria										
Ingredient(s)			Endpoin	nt	Value (mg/l)		Inoculum	1	Method	Exposui time
sodium hypochlorite					0.375		Activated sludge	M	ethod not given	
Lauryl dimethyl amine oxide	!				No data available					
sodium hydroxide					No data available					
quatic long-term toxicity										
uatic long-term toxicity - fish Ingredient(s)	Endpoint	Valu (mg/		Spec	ies	Meth	od E	xposure time	Effects ob	served
sodium hypochlorite	NOEC	0.04	4	Men pelins		Metho		6 hour(s)		
Lauryl dimethyl amine oxide		No da availa								
sodium hydroxide		No da availa								
quatic long-term toxicity - crustacea										
Ingredient(s)	Endpoint	Valu (mg/		Spec	ies	Meth	od E	xposure time	Effects ob	served
sodium hypochlorite		No da availa								
Lauryl dimethyl amine oxide		No da availa								
sodium hydroxide		No da availa								
quatic toxicity to other aquatic benthic organisms, inc	cluding sedimen	t-dwelling	organisms	s, if av	/ailable:					
Ingredient(s)	Endpoint	Valu	ıe	Spec		Meth		xposure ne (davs)	Effects ob	served

	(mg/kg dw sediment)	time (days)	
sodium hypochlorite	No data	-	
	available		
Lauryl dimethyl amine oxide	No data		
	available		
sodium hydroxide	No data	-	
^	available		

**Terrestrial toxicity**Terrestrial toxicity - soil invertebrates, including earthworms, if available:

, and the second												
Ingredient(s)	Endpoint	Value	Species	Method	Exposure	Effects observed						
• • • •		(mg/kg dw	•		time (days)							
					unie (uays)							
		soil)										
sodium hypochlorite		No data			-							
codium hypochiomo												
		available										
sodium hydroxide		No data			-							
couldn'i flydroxido												
		available										

Terrestrial toxicity - plants, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
sodium hypochlorite		No data			-	
		available				
sodium hydroxide		No data			-	

		available				
--	--	-----------	--	--	--	--

Terrestrial toxicity - birds, if available:

Ingredient(s)	Endpoint	Value	Species	Method	Exposure	Effects observed
					time (days)	
sodium hypochlorite		No data			-	
		available				
sodium hydroxide		No data			-	
		available				

Terrestrial toxicity - beneficial insects, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
sodium hypochlorite		No data			-	
		available				
sodium hydroxide		No data			-	
		available				

Terrestrial toxicity - soil bacteria, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
sodium hypochlorite		No data available			-	
sodium hydroxide		No data available			-	

## 12.2 Persistence and degradability

Abiotic degradation
Abiotic degradation - photodegradation in air, if available:

Ingredient(s)	Half-life time	Method	Evaluation	Remark
sodium hypochlorite	115 day(s)	Indirect photo-oxidation		
sodium hydroxide	13 second(s)	Method not given	Rapidly photodegradable	

Abiotic degradation - hydrolysis, if available:

Abiotic degradation - other processes, if available:

Biodegradation

Pendy biodegradability - aerobic conditions

Ingredient(s)	Inoculum	Analytical method	DT 50	Method	Evaluation
sodium hypochlorite					Not applicable (inorganic substance)
Lauryl dimethyl amine oxide					No data available
sodium hydroxide					Not applicable (inorganic substance)

Ready biodegradability - anaerobic and marine conditions, if available:

Degradation in relevant environmental compartments, if available:

## 12.3 Bioaccumulative potential

Ingredient(s)	Value	Method	Evaluation	Remark
sodium hypochlorite	-3.42	Method not given	No bioaccumulation expected	
Lauryl dimethyl amine oxide	No data available			
sodium hydroxide	No data available		Not relevant, does not bioaccumulate	

Bioconcentration factor (BCF)

bioconcentration ractor (	DOI )				
Ingredient(s)	Value	Species	Method	Evaluation	Remark
sodium hypochlorite	No data available				
Lauryl dimethyl amine oxide	No data available				
sodium hydroxide	No data available				

**12.4 Mobility in soil**Adsorption/Desorption to soil or sediment

Ingredient(s)	Adsorption coefficient Log Koc	Desorption coefficient Log Koc(des)	Method	Soil/sediment type	Evaluation
sodium hypochlorite	1.12				High potential for mobility in soil
Lauryl dimethyl amine oxide	No data available				
sodium hydroxide	No data available				Mobile in soil

#### 12.5 Other adverse effects

No other adverse effects known.

## SECTION 13: Disposal considerations

13.1 Waste treatment methods Waste from residues / unused

products:

The concentrated contents or contaminated packaging should be disposed of by a certified handler or according to the site permit. Release of waste to sewers is discouraged. The cleaned packaging

material is suitable for energy recovery or recycling in line with local legislation.

**Empty packaging** 

**Recommendation:** Dispose of observing national or local regulations.

Suitable cleaning agents: Water, if necessary with cleaning agent.

## SECTION 14: Transport information



## ADG, IMO/IMDG, ICAO/IATA

14.1 UN number: 3266

14.2 UN proper shipping name:

Corrosive liquid, basic, inorganic, n.o.s. (hypochlorite, sodium hydroxide)

14.3 Transport hazard class(es):

Class: 8 Label(s): 8

14.4 Packing group: ||| 14.5 Environmental hazards:

Environmentally hazardous: Yes

Marine pollutant: Yes

14.6 Special precautions for user: None known.

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code: The product is not transported in bulk tankers.

### Other relevant information:

Hazchem code: 2X

The product has been classified, labelled and packaged in accordance with the requirements of ADG and the provisions of the IMDG Code. Transport regulations include special provisions for certain classes of dangerous goods packed in limited quantities.

## **SECTION 15: Regulatory information**

## 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Poison schedule Classified as a Schedule 5 (S5) Poison using the criteria in the Standard for the Uniform Scheduling

of Medicines and Poisons (SUSMP).

Classification The product is classified based on criteria of Globally Harmonised System of Classification and

Labelling of Chemicals (GHS) as published by Safework Australia.

Inventory listing(s) AICS (Australian Inventory of Chemical Substances): All components are listed on AICS, or are

exempt

## SECTION 16: Other information

The information in this document is based on our best present knowledge. However, it does not constitute a guarantee for any specific product features and does not establish a legally binding contract

**SDS code:** MS31000172 **Version:** 01.0 **Revision:** 2016-03-03

## Full text of the H and EUH phrases mentioned in section 3: Full text of the H phrases mentioned in section 3:

• H290 - May be corrosive to metals.

H302 - Harmful if swallowed.

• H314 - Causes severe skin burns and eye damage.

H315 - Causes skin irritation

• H318 - Causes serious eye damage.

- H335 May cause respiratory irritation.
- H400 Very toxic to aquatic life.
- H410 Very toxic to aquatic life with long lasting effects.
- H411 Toxic to aquatic life with long lasting effects.
- AUH031 Contact with acids liberates toxic gas

#### Additional information:

**Respirators:** In general the use of respirators should be limited and engineering controls employed to avoid exposure. If respiratory equipment must be worn ensure correct respirator selection and training is undertaken. Remember that some respirators may be extremely uncomfortable when used for long periods. The use of air powered or air supplied respirators should be considered where prolonged or repeated use is necessary.

**Work practices - solvents:** Organic solvents may present both a health and flammability hazard. It is recommended that engineering controls should be adopted to reduce exposure where practicable (for example, if using indoors, ensure explosion proof extraction ventilation is available). Flammable or combustible liquids with explosive limits have the potential for ignition from static discharge. Refer to AS 1020 (The control of undesirable static electricity) and AS 1940 (The storage and handling of flammable and combustible liquids) for control procedures.

Exposure standards - Time Weighted Average (TWA) or Workplace Exposure Standard (WES) (NZ): Exposure standards are established on the premise of an 8 hour work period of normal intensity, under normal climatic conditions and where a 16 hour break between shifts exists to enable the body to eliminate absorbed contaminants. In the following circumstances, exposure standards must be reduced: strenuous work conditions; hot, humid climates; high altitude conditions; extended shifts (which increase the exposure period and shorten the period of recuperation).

**Personal protective equipment guidelines:** The recommendation for protective equipment contained within this report is provided as a guide only. Factors such as method of application, working environment, quantity used, product concentration and the availability of engineering controls should be considered before final selection of personal protective equipment is made.

**Health effects from exposure:** It should be noted that the effects from exposure to this product will depend on several factors including: frequency and duration of use; quantity used; effectiveness of control measures; protective equipment used and method of application. Given that it is impractical to prepare a Safety Data Sheet which would encompass all possible scenarios, it is anticipated that users will assess the risks and apply control methods where appropriate.

#### Abbreviations and acronyms:

- ATE Acute Toxicity Estimate
- · AISE The international Association for Soaps, Detergents and Maintenance Products
- DNEL Derived No Effect Limit
- LC50 Lethal Concentration, 50% / Median Lethal Concentration
- LD50 Lethal Dose, 50% / Median Lethal dose
- EUH CLP Specific hazard statement
- PBT Persistent, Bioaccumulative and Toxic
- STOT-RE Specific target organ toxicity (repeated exposure)
- STOT-SE Specific target organ toxicity (single exposure)
- PNEC Predicted No Effect Concentration
- REACH number REACH registration number, without supplier specific part
- EC No. European Community Number
- vPvB very Persistent and very Bioaccumulative

**End of Safety Data Sheet**