Page 1 of 4

KASSIE POWER BLEACH 4% Safety Data Sheet

1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

Product name: KASSIE POWER BLEACH 4%

Synonyms

Bleach 4%

Recommended use: Universal disinfectant bleach

Supplier Name	CLEAN PLUS CHEMICALS PTY LTD			
Address	16 George Young Street AUBURN NSW 2144			
Telephone	02 9738 7444			
Emergency	1800 201 700			
Email	customerservice@cleanplus.com.au			
Web Site	www.cleanplus.com.au			
SDS Date	21 JANUARY 2021 Version 1.2			

2. HAZARDS IDENTIFICATION

THIS MATERIAL IS NOT HAZARDOUS ACCORDING TO THE HEALTH CRITERIA OF SAFE WORK AUSTRALIA.

UN No.	None Allocated	DG Class	None Allocated	Subsidiary Risk(s)	None Allocated
Packing Group	None Allocated	Hazchem Code	None Allocated	EPG	None Allocated

3. COMPOSITION/ INFORMATION ON INGREDIENTS

Ingredient	CAS No.	Content
SODIUM HYPOCHLORITE	7681-52-9	4%
NON HAZARDOUS INGREDIENTS	Not Available	Remainder

4. FIRST AID MEASURES

- If in eyes, hold eyelids apart and flush the eye continuously with running water. Continue flushing until advised to Eye stop by the Poison Information Centre or a doctor, or for at least 15 minutes.
- Skin If skin or hair contact occurs, remove contaminated clothing and flush skin and hair with running water. Continue flushing with water until advised to stop by the Poisons Information Centre or a doctor.
- Inhalation If inhaled, remove from contaminated area. To protect rescuer, use an Air-line respirator where an inhalation risk exists. Apply artificial respiration if not breathing.
- For advice, contact a Poison Information Centre on 13 11 26 (Australia Wide) or a doctor (at once). If swallowed, do Ingestion not induce vomiting.

Advice to Doctor Treat symptomatically.

First Aid Facilities Eye wash facilities and safety shower should be available.



Product Code 300



5. FIRE FIGHTING MEASURES

Flammability Non flammable. May evolve toxic gases(chlorine) if strongly heated to decomposition.

Fire and Explosion Non flammable. Evacuate area and contact emergency services. Toxic gases(chlorine)may be evolved. Remain upwind and notify those downwind of hazard. Wear full protective equipment including Self Contained Breathing Apparatus(SCBA).Use waterfog to cool intact containers and nearby storage areas.

Extinguishing Non flammable. Prevent contamination of drains or waterways.

6. ACCIDENTAL RELEASE MEASURES

Spillage If spilt (bulk), contact emergency services if appropriate. Wear splash-proof goggles and PVC/rubber gloves, an Airline respirator (where an inhalation risk exists). Absorb spill with sand or similar and place in sealed containers for disposal. Wash spill site down with water. For small amounts, dilute with water and flush to sewer. Caution: surfaces may be slippery.

7. STORAGE AND HANDLING

- **Storage** Store in cool, dry, well ventilated area, removed from acids, combustible materials and foodstuffs. Ensure containers are adequately labeled, protected from physical damage and sealed when not in use. Check regularly for leaks or spills. Large storage areas should have appropriate ventilation systems.
- **Handling** Before use carefully read the product label. Use of safe work practices are recommended to avoid eye or skin contact and inhalation. Observe good personal hygiene, including washing hands before eating. Prohibit eating, drinking and smoking in contaminated areas.

8. EXPOSURE CONTROLS/ PERSONAL PROTECTION

Exposure StdsSodium Hypochlorite(Peak limitation)TWA:3.0mg/m3(Reference:ASCC(AUS))Biological LimitsNo biological limit allocated.Engineering ControlsEnsure adequate natural ventilation. Maintain vapour levels below the recommended exposure standard.PPEWear splash-proof goggles and PVC or rubber gloves, rubber, face shield and coveralls. Where an inhalation risk exists, wear a type A (organic vapor) respirator.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	CLEAR YELLOW LIQUID	Solubility (Water)	SOLUBLE
Odour	CHLORINE LIKE ODOUR	Specific Gravity	1.04 TO 1.08
Ph	13 - 14	Volatiles	NOT AVAILABLE
Vapour Pressure	NOT AVAILABLE	Flammability	NON FLAMMABLE
Vapour Density	NOT AVAILABLE	Flash Point	NOT RELEVANT
Boiling Point	100°C (Approximately)	Upper Explosion Limit	NOT RELEVANT
Melting Point	NOT AVAILABLE	Lower Explosion Limit	NOT RELEVANT
Evaporation Rate	NOT AVAILABLE		

10. STABILITY AND REACTIVITY

Chemical Stability

Stable under recommended conditions of storage.

KASSIE POWER BLEACH 4% Safety Data Sheet



Conditions to Avoid	Avoid heat, sparks, open flames and other ignition sources.
Material to Avoid	Incompatible with reducing agent(e.g. Amines), organic materials, some metals (e.g. Aluminium) and acids (e.g. Nitric acid). Do not mix with other chemicals.
Decomposition	May evolve toxic gas(chlorine) if heated to decomposition.
Hazardous Reactions	Polymerization is not expected to occur.

11. TOXICOLOGICAL INFORMATION

Health Hazard Corrosive. Use safe work practices to avoid eye or skin contact , spray mist generation or inhalation. Over exposure to Chlorine may result in lung tissue damage. Do not mix with other chemicals unless advised and specific instructions provided, as toxic and irritating gases may be evolved. Use safe practices to avoid over exposure. If diluted, the potential for corrosive effects will be reduced. Corrosive - Irritant. Contact may result in irritation, lacrimation, pain, redness and conjunctivitis. Prolonged Eye contact may result in corneal burns and possible permanent damage. Corrosive-Irritant. Over exposure to mists or vapours (if sprayed) may result in mucous membrane irritation of Inhalation the nose and throat with coughing. At high levels nausea, dizziness and headache. Low vapour pressure, considerably reduces the potential for an inhalation hazard. Skin Corrosive . Prolonged or repeated contact may result in drying the skin, rash and dermatitis. Ingestion Corrosive-toxic. Ingestion may result in burns to the mouth and throat, nausea, vomiting, abdominal pain and diarrhea. Ingestion of large quantities may result in ulceration, unconsciousness, convulsion, and death. **Toxicity Data** SODIUM HYPOCHLORITE(7681-52-9) LD50(Ingestion):5800mg/kg (mouse) TDLo(Ingestion):1mg/kg (woman) TDLo(Intravenous):45mg/kg(man)

12. ECOLOGICAL INFORMATION

Environment WATER: If released to waterways, alkaline products may change the pH of the waterway. Fish will die if the pH reaches 10-11 (goldfish 10.9, bluegill 10.5) SOIL: May leach to groundwater with toxic effects on aquatic life as above. ATMOSPHERE: Not expected to reside in the atmosphere. Drops or particles released to atmosphere should be removed by gravity and/or be rained out.

13. DISPOSAL CONSIDERATIONS

Waste Disposal ATMOSPHERE: May release toxic chlorine gas. For small amounts absorb with sand, vermiculite or similar and dispose of to an approved landfill site. Contact the manufacturer for additional information if larger amounts are involved. Prevent contamination of drains and waterways as aquatic life may be threatened and environmental damage may result.

Legislation Dispose of in accordance with relevant local legislation.

14. TRANSPORT INFORMATION

Chimming Name Name Allegated

NOT CLASSIFIED AS A DANGEROUS GOODS BY THE CRITERIA OF THE ADG CODE

Shipping Name	None Allocated				
UN No.	None Allocated	DG Class	None Allocated	Subsidiary Risk(s)	None Allocated
Packing Group	None Allocated	Hazchem Code	None Allocated	EPG	None Allocated

KASSIE POWER BLEACH 4% Safety Data Sheet



15. REGULATORY INFORMATION

Poison Schedule A poison schedule number has not been allocated to this product using the criteria in the Standard for the Uniform Scheduling of Drugs and Poisons (SUSDP).

AICS

All chemicals listed on the Australian Inventory of Chemical Substances (AICS).

16. OTHER INFORMATION

Additional Information

ABBREVIATIONS:

ADB - Air-Dry Basis. BEI - Biological Exposure Indice(s) CAS# - Chemical Abstract Service number - used to uniquely identify chemical compounds. CNS - Central Nervous System. EINECS - European Inventory of Existing Commercial Substances. GHS - Globally Harmonized System IARC - International Agency for Research on Cancer. M - moles per litre, a unit of concentration. mg/m3 - Milligrams per cubic meter. NOS - Not Otherwise Specified. NTP - National Toxicology Program. OSHA - Occupational Safety and Health Administration. pH - relates to hydrogen ion concentration using a scale of 0 (high acidic) to 14 (highly alkaline). ppm - Parts Per Million. RTECS - Registry of Toxic Effects of Chemical Substances. TWA/ES - Time Weighted Average or Exposure Standard.

HEALTH EFFECTS FROM EXPOSURE:

It should be noted that the effects from exposure to this product will depend on several factors including: frequency and duration of use; quantity used; effectiveness of control measures; protective equipment used and method of application. Given that it is impractical to prepare a Clean Plus Chemicals report which would encompass all possible scenarios, it is anticipated that users will assess the risks and apply control methods where appropriate.

PERSONAL PROTECTIVE EQUIPMENT GUIDELINES:

The recommendation for protective equipment contained within this Clean Plus Chemicals report is provided as a guide only. Factors such as method of application, working environment, quantity used, product concentration and the availability of engineering controls should be considered before final selection of personal protective equipment is made.

Report Status

This Safety Data Sheet document has been compiled by Clean Plus Chemicals. Further clarification regarding any aspect of this product should contact Clean Plus Chemicals directly. While Clean Plus Chemicals has taken all due care to include accurate and up-to-date information in this SDS, it does not provide any warranty as to accuracy or completeness. As far as lawfully possible, Clean Plus Chemicals accepts no liability for any loss, injury or damage (including consequential loss) which may be suffered or incurred by any person as a consequence of their reliance on the information contained in this SDS.